



Product Specifications



Interactive LED Touch Panel **14.0 Android 4/32GB inbuilt** **48MP Camera and 8 array microphone**



Features

- Zero bonding technology, low parallax writing and wider viewing angles
- 4mm anti-glare tempered glass lap
- 4K Ultra HD display, support full channel 4K UI display
- Eye protection, lock screen, touch lock and other tools
- Support for multi-user functionality
- High precision IR touch makes the user write more smoothly
- Support dual pens with different color displays, which makes teamwork easier
- One network support, Android and OPS are 100 Gigabit networks
- Support for network sharing



Product Specifications




Specification:

All-in-One Interactive LED Touch Screen Display				
Product Model	Android 14.0 4-32GB with inbuilt 48MP cam & 8 array mic			
	55"	65"	75"	85"
Overall Size	1266*778*85mm	1486*903*85mm	1708*1028*85mm	1954*1153*86mm
Packing Size	1375x920x195mm	1605x1010x195mm	1845x1150x215mm	2110x1290x215mm
Display Area	1212x 682mm	1 4 3 1 x 805mm	1 6 5 2 x 9 3 0 mm	1 8 7 4 x 1 0 5 5 mm
Physical Resolution	(4K) 3840x2160	(4K) 3840x2160	(4K) 3840x2160	(4K) 3840x2160
Net/Gross Weight	24/31kgs	32/42kgs	46/59kgs	57/74kgs
Power Consumption	180W	210W	290W	350W
Voltage	100-240V ~ 50/60Hz			
Wall Amount Thickness	M8x25mm			
Chipset	GK6760V100			
CPU	8 core A55 Octa Core			
GPU	Mali-G52MP2(2EE)			
RAM	4G			
Flash	32G			
Android Version	Android 14.0			
Touch Point	40 Point Touch			
Writing Protection	Physically Toughened Mohs Class 7 Explosion-Proof Glass			
Touch Surface Material	Zero Bonding 4.0mm, Anti-Glare full toughened glass			
Operational Environment	Storage Temperature: —10°C~60°C; Storage humidity: 10%RH~90%RH;			
Life Time	>60,000hours			
Backlight Type	■ DLED			
Screen Ratio	16:9			
Video/Audio Format	PAL/NTSC/SECAM			
Compatible Video Format	Rm,rmvb,mpeg1/2/4,avi,mp4			
Camera	48 MP			
Microphone	8 array			

Product Specifications

Brightness	450cd/m²
Contrast Ratio	5000: 1
Pixel Pitch	0.42975×0.42975mm
Frequency	60Hz
Contrast Ratio	5000:1
Colors	1.07B (10bit)
Refresh Rate	60 Hz
Working Temperature	0°C~40°C
Working Humidity	10%~90%RH
Viewing Angle	178°(H/V)
Response Time	5ms
Audio Output Power	15W×2
Display Resolution	3840 x 2160 (4K UHD)
Scanning Speed	120 frames/s
Response Time	The first point≤5ms,continuity≤2ms
Output Interface	Audio output x 1 HDMI x 1
	AV x 1
	Earphone x 1
Input Interface	AV IN x 1
	MIC IN x 1
	VGA IN x 1
	VGA AUDIO IN x 1
	RJ45 x 1
	TF x 1
	TOUCH PORT x 2
	HDMI x 3
	USB x 4 (USB3.0 x 3 , USB2.0 x 1)
Communication Port	RS232 x 1
Standby Power Consumption	<0.5W

In The Box



Power Cable (1.5M)




HDMI Cable (1.5M)



USB Cable (1.5M)



Remote Control & Batteries



Wall Mount



Stylus x 2



4K UHD Resolution



Android 14.0



3 Year Onsite Warranty



Room Filling Audio



40pt Touch



OPS Integrated PC Optional

Total peace of mind with a 3 year onsite warranty.

