



Guangdong Duiying Electronic Technology Co., Ltd

Double Sided Digital Signage



Ultra-thin glass double screen advertising machine

Dual screen, thin and beautiful appearance



Features:

- 1. Market mainstream professional Android scheme design, good heat dissipation, stable performance, simple maintenance.
- 2. Bright screen, 1080P HD resolution, ultra-wide perspective LCD panel, to avoid the perspective blind area of ordinary similar products on the market, and further improve the display effect.
- 3. The product uses ultra-narrow frame, ultra-thin body, the whole machine thickness is only 20mm;
- 4. The double-sided screen synchronous display screen, customers can receive the visual impact of the video and pictures brought by the information release at the same time, to increase the attraction and publicity of mobile customers and potential customers;
- 5. Abandon the traditional poster replacement trouble, no video, monotonous pictures of the traditional passive reception of publicity, bring more intense publicity effect;
- 6. Network cable and power cable concealed wiring design, the overall appearance effect is better;
- 7. In the system design, adhering to the stability of the signage series products and advanced, to give customers as always management experience.

Vertical Double-side Advertising Display



High definition



Circulation



178 viewing angles



Remote control



Intelligent split screen



Support customization



Product Details

Time

2025-10-1 Wednesday 13:00 26°C

Weather

LCD Screen

Scrling subtitles

Scrling subtitles - Scrling subtitles..

Logo

Customization

HD Display



The brighter screen is for outside The outer is for inside


CMS Real Time Update

Built-in Landun content management system to support multiple synchronous remote publishing and management.



2.7cm slim body design

Elaborately crafted to create a 2.7cm slim body,
simple and thin



Remote Update Pist Advertisement

Remote shutdown/timed startup

Remote monitoring playback

Adjust volume remotely

Smart split screen playback

Multiple split screen options



Hanging installation saves space

Away from the crowds/saves you worry/saves space

- Hanging installation
- reduce congestion
- save space

HD


HD picture quality

A⁺

High contrast

3D

3D noise reduction technology



Smart remote one-click release

Save time and efficiency. Unified management of each terminal, and also individual management of each terminal, without manual operation, saving time and effort.



Size	43" 49" 55"
Resolution	3840*2160
Viewing Angle	178°/178°
Brightness	Conventional brightness screen 23 sides> 430 cd / m2 Specific highlighting A> 430 cd/m2 B> 700 cd / m2 (price)
Basic software	Web browsing, web chat, email, ebook, resource manager, clock, alarm clock, calculator, recording, etc
Functional	Remote software controls the timing switching machine
Characteristics	Dual screen display, inside and outside the screen can respectively play different content
	Dual screen separate control, the internal and external screen can define the timing switch of different periods, such as the inner screen can be shut down at 18:00 after work, the outer screen can still be played externally, if it can be set to 21:00 timing shutdown.
	Real-time remote monitoring, 7 * 24 hours unattended
	Support for landscape screen, portrait screen automatic configuration
	Support for wireless screen projection (optional)
Supported video formats	Support for AVI (H.264、DIVX、XVID) , rm, rmvb, MKV (H.264、DIVX、DIVX、XVID) , WMV, MOV, MP4 (H.264、MPEG、DIVX、XVID) , FLV (H.263, H.264), TS, 3GP, MPG, and many other formats

THANK YOU

